

SAFETY DATA SHEET



Fire Door Solutions

Page 1 of 6
Version: 1.1
Revision Date: 12/5/17

FIRE DOOR CAULK

1. CHEMICAL PRODUCT & COMPANY IDENTIFICATION

Product Brand Name: Fire Door Caulk
Other Names/Synonyms: None
Recommended Use: Sealant - Other
Uses advised against: No information available

Company Contact Information

Fire Door Solutions
7500 W 160th St
Stilwell, KS 66085

Emergency Telephone Number

CHEMTREC: 1-800-424-9300 (24 hours) or 1-703-527-3887
Telephone: 1-855-714-3473

2. HAZARDS IDENTIFICATION

GHS Classification

Classification: No classified

Label elements GHS-US: No labeling applicable

Other hazards: No additional information available

Unknown acute toxicity GHS-US: None

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance: Mixture
Chemical Nature: Latex
Components: Trade secret

4. FIRST AID MEASURES

General Advice: Show this safety data sheet to the doctor in attendance.

Eye Contact

Flush eyes with clean water for 15 minutes or until no evidence of material remains. If discomfort persists, see a physician.

Skin Contact

Wash thoroughly with clean water and mild soap. Avoid vigorous scrubbing which could cause abrasions and irritations. If discomfort persists, see a physician.

Dust Inhalation

SAFETY DATA SHEET



Fire Door Solutions

Page 2 of 6
Version: 1.1
Revision Date: 12/5/17

FIRE DOOR CAULK

Remove from exposure area to fresh air. If discomfort persists, see a physician.

Ingestion

Drink plenty of water. If discomfort persists, see a physician

Routes of Entry

Inhalation: No
Skin: No
Ingestion: Yes
Eye: Yes

*Primary ingredients are ground and pulverized minerals suspended in an aqueous solution

5. FIRE FIGHTING MEASURES

Suitable Extinguishing Media

N/A

Special Fire Fighting Procedures

None

Unusual Fire and Explosion Hazards

None

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Special Precautions

None

Methods and material for containment and cleaning up

Methods for disposal

Not a hazardous waste. Dispose in accordance with applicable federal, state and local regulations

7. HANDLING AND STORAGE

Precautions for safe handling

Handling

No special precautions are required.

SAFETY DATA SHEET



Fire Door Solutions

Page 3 of 6
Version: 1.1
Revision Date: 12/5/17

FIRE DOOR CAULK

Conditions for safe storage, including any incompatibilities

Storage

Store at temperatures below 212°F (100°C)

8. EXPOSURE CONTROLS & PERSONAL PROTECTION

Exposure Guidelines

Individual protection measures, such as personal protective equipment

Eye/Face Protection

Wear safety glasses or goggles when sanding.

Respiratory Protection

Use a NIOSH approved dust mask when sanding in a confined area.

Work Hygiene Measures

Avoid creating unnecessary dust (sanding)

9. PHYSICAL & CHEMICAL PROPERTIES

Physical Form: Paste, Liquid
Color: Red
Odor: No distinguishable odor
Odor Threshold: No information available
Appearance: Textured

<u>Property</u>	<u>Values</u>	<u>Remarks Method</u>
pH	9.0	None known
Melting point	3400°F (1870°C)	None known
Boiling point / boiling range	212°F (100°C)	@ 760 mmHG
Flash Point	No data available	None known
Evaporation Rate	No data available	None known
Flammability (solid, gas)	No data available	None known
Flammability Limit in Air		
Upper flammability limit	No data available	
Lower flammability limit	No data available	
Vapor pressure	17 mmHg	@ 68°F (20°C)
Vapor density	No data available	None known
Specific Gravity	No data available	None known
Water Solubility	Soluble	None known
Solubility in other solvents	No data available	None known
Partition coefficient: n-octanol/water	No data available	None known

SAFETY DATA SHEET



Fire Door Solutions

Page 4 of 6
Version: 1.1
Revision Date: 12/5/17

FIRE DOOR CAULK

Autoignition temperature	No data available	None known
Decomposition temperature	No data available	None known
Kinematic viscosity	No data available	None known
Dynamic viscosity	No data available	None known
Explosive properties	No data available	
Oxidizing Properties	No data available	

Other Information

Softening Point	No data available
VOC Content (g/L)	N/A
Particle Size	No data available
Particle Size Distribution	No data available

10. STABILITY AND REACTIVITY

Stability

Product is stable

Hazardous Polymerization

Hazardous polymerization does not occur.

Incompatible materials

None

Hazardous Decomposition Products

None known

11. TOXICOLOGICAL INFORMATION

****This product is considered non-toxic****

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Acute Short Term Exposure

Skin Absorption:	None reported
Eye contact:	May cause abrasion and irritation
Inhalation:	Sanding dust may cause irritation of breathing passages
Skin Contact:	Prolonged exposure may cause dryness and irritation
Ingestion:	None reported

Chronic Long Term Exposure

None

Carcinogenicity

This product is not considered to be carcinogenic

SAFETY DATA SHEET



Fire Door Solutions

Page 5 of 6
Version: 1.1
Revision Date: 12/5/17

FIRE DOOR CAULK

12. ECOLOGICAL CONSIDERATIONS

Aquatic toxicity

None

Waterfowl toxicity

None

Biochemical Oxygen demand

None

Food chain concentration potential

None

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Disposal methods

Not a hazardous waste. Dispose in accordance with applicable federal, state, and local regulations.

14. TRANSPORT INFORMATION

DOT In accordance

*Not considered a dangerous good for transport regulations

15. REGULATORY INFORMATION

Product is not regulated

16. OTHER INFORMATION

EPA Hazard rating

SAFETY DATA SHEET



Fire Door Solutions

Page 6 of 6
Version: 1.1
Revision Date: 12/5/17

FIRE DOOR CAULK

Immediate Health:	1
Delayed Health:	0
Fire:	0
Pressure:	0
Reactivity:	0

HMIS

Health Hazards:	1
Flammability:	0
Physical Hazard:	0
Personal Protection:	X

Note: The responsibility to provide a safe workplace remains with the user. The user should consider the health hazards and safety information contained herein as a guide and should take those precautions required in an individual operation to instruct employees and develop work practice procedures for a safe work environment. The information contained herein is, to the best of our knowledge and belief, accurate. However, since the conditions of handling and use are beyond our control, we make no guarantee of results, and assume no liability for damages incurred by the use of this material. It is the responsibility of the user to comply with all applicable laws and regulations. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

<http://www.firedoorcaulk.com>